


Technical Data Sheet

Desks





QUALITY STANDARDS

Finsa top surface.

- ISO 22196 Standard: 2011.
(Certificate of Analysis No. 1023308.1E-1).
- ISO 21702 standard: 2019 and the NF EN 14476 standard: 2013 + A2: 2019.

Metal.

- Material: DD14 (EN 10111)
- ISO 45001:2018 – Occupational Health & Safety System.
(Certificate No. 20001230009449).




WARRANTY

- 5 years

DESKS

Single desk

H 740






L 1200, 1400, 1600
W 600, 700, 800

Desk with side storage unit

H1 740

H2 550






L1 1400, 1600, 1800, 2000
W1 700, 800

L2 900, 1200
W2 420, 600

(L) Shape desk


H 740




L1 1800, 2000
W1 900

L2 600
W2 1000


DESK COMPONENTS



- ① Finsa Top thickness 25mm.
- ② Top spacer 10mm.
- ③ Powder-coated metal leg.
- ④ Glide 10mm (+10mm adjustable).
- ⑤ Soft close cable grommet.
- ⑥ Modesty panel 18mm.
- ⑦ Cable tray.
- ⑧ Vertebrae cable management.




- ① Finsa Top thickness 25mm.
- ② Top spacer 10mm.
- ③ Powder-coated metal leg.
- ④ Glide 10mm (+10mm adjustable).
- ⑤ Soft close cable grommet.
- ⑥ Modesty panel 18mm.
- ⑦ Cable tray.
- ⑧ Vertebrae cable management.
- ⑨ Drawer Units
- ⑩ Fixed Shelf
- ⑪ Sliding Door Cabinet




- ① Finsa Top thickness 25mm.
- ② Top spacer 10mm.
- ③ Powder-coated metal leg.
- ④ Glide 10mm (+10mm adjustable).
- ⑤ Soft close cable grommet.
- ⑥ Modesty panel 18mm.
- ⑦ Cable tray.
- ⑧ Vertebrae cable management.


Desk Includes




Soft-close cable Grommet:
300 × 110 mm



Cable Tray:
900 × 130 mm
For front cable access*



Cable Tray:
520 × 130 mm
For side cable access*



Tower:
100×100×520mm



Vertebrae cable management.

FEATURES

- Anti-bacterial surface properties supporting hygienic daily use in workspace environments.
- Anti-moisture sealed finish allowing safe cleaning and regular disinfection without surface damage.
- Anti-fingerprint surface and high scratch resistance ($\geq 6\text{NW}$ – EN 438-2 standard)
- Easy to assemble and disassemble - "metal to metal" construction Just one tool for assembling .
- Two color combination for desks.
- Cable Management.
- Modesty Panel.
- Side units with lockable drawers, shelves, sliding doors or hinged with two different selections for handles.

TECHNICAL INFORMATION

Desktop

- 25 mm MFC (melamine) with 2 mm ABS edging.
- 10mm spacers between desktop and base.

Metal Beams

- Metal tube - 40x20 mm.
- Powder-coated steel with welded metal plates for leg attachment
- Color-matched with leg finish.

Legs

- A-LEG: 40x40 mm, t:1.5 mm*
- U-LEG: 40x40 mm, t:1.5 mm*
- Powder-coated
- Plastic levelling glides (+10 mm).

Cable Tray

- Sheet metal 1.25 mm.
- Attachment brackets 3mm - attached to beams.

Modesty Panel

- 18 mm.
- Metal accessory attached 4 mm.

DESKTOP FINISHES



060 Blanco



272 Roble Poema



20B Cerezo



03C Nogal



20N Roble Sinatra



Negro*
(available in 19 mm only)

NB: Reference to sample for texture.

CABLE GROMMET



Black



Grey matte


METAL FINISHES




Black



Grey



White



Additional colors upon request (MOQ).